
# PAT INT COOPERATION TREAT

	From the INTERNATIONAL BUREAU
PCT	То:
NOTIFICATION OF ELECTION (PCT Rule 61.2)	Assistant Commissioner for Patents United States Patent and Trademark Office Box PCT Washington, D.C.20231 ETATS-UNIS D'AMERIQUE
Date of mailing: 03 August 2000 (03.08.00)	in its capacity as elected Office
International application No.: PCT/SE00/00017	Applicant's or agent's file reference: Pha-1812/PCT
International filing date: 12 January 2000 (12.01.00)	Priority date:
Applicant: LEVANDER, Gustav et al	
1. The designated Office is hereby notified of its election made      X   In the demand filed with the International preliminar     31   May 2000 (	y Examining Authority on: (31.05.00)  national Bureau on:
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer:

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35





# **PCT**

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference		
Pha-181 <b>2</b> /PCT	FOR FURTHER ACTION	N See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)
International application No.	International filing date (days	/month/year) Priority date (day/month/year)
PCT/SE00/00017	12.01.2000	26.01.1999
International Patent Classification (IPC) or	r national classification and IP	PC7
B 32 B 27/06, B 65 D		
Applicant		
Pharmacia & Upjohn AB	et al	
Indimacia & opjoin Ab	et al	
Authority and is transmitted to the  2. This REPORT consists of a total o  This report is also accompar been amended and are the be	applicant according to Article  f _5 sheets, included by ANNEXES, i.e., sheet	suluding this cover sheet.
These annexes consist of a total of		
3. This report contains indications rel	ating to the following items:	•
I Basis of the report		•
II Priority		•
III Non-establishment of	opinion with regard to novelty	y, inventive step and industrial applicability
IV Lack of unity of inver		
V Reasoned statement us citations and explanati	nder Article 35(2) with regard ions supporting such statemen	to novelty, inventive step or industrial applicability;
VI Certain documents cit		
VII Certain defects in the	international application	
VIII Certain observations o	on the international application	<b>1</b>
Date of submission of the demand	Date	e of completion of this report
31.05.2000	07	.05.2001
Name and mailing address of the IPEA/SE	Auth	norized officer
Patent- och registreringsverket Box 5055	Telex 17978	•,
S-102 42 STOCKHOLM		lena Danielsson/Els
Facsimile No. 08-667 72 88	Tele	phone No. 08-782 25 00
Form PCT/IPEA/409 (cover sheet) (January	/ 1998)	

THIS PAGE BLANK (USPTO)

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

,	
	Inational application No.
	PCT/SE00/00017

I. Bas	sis of the report	
1. With	regard to the elements of the international application:*	,
$\boxtimes$	the international application as originally filed	
	the description:	
	pages	, as originally filed
	pages	, filed with the demand
	pages	, filed with the letter of
	the claims:	
	pages	, as originally filed
	pages	, as amended (together with any statement) under article 19
	pages	
	pages	, filed with the letter of
	the drawings:	
	pages	, as originally filed
	pages	
	pages	, filed with the letter of
	the sequence listing part of the description:	
	pages	
	pages	
	pages	
the in	regard to the language, all the elements marked above were avaiternational application was filed, unless otherwise indicated unless elements were available or furnished to this Authority in the fithe language of a translation furnished for the purposes of international application (up the language of the translation furnished for the purposes of international application (up the language of the translation furnished for the purposes of international application (up the language of the translation furnished for the purposes of international application (up the language of the translation furnished for the purposes of international application (up the language of the translation furnished for the purposes of international application (up the language of the translation furnished for the purposes of international application (up the language of the translation furnished for the purposes of international application (up the language of the translation furnished for the purposes of international application (up the language of the translation furnished for the purposes of international application (up the language of the translation furnished for the purposes of international application (up the language of the translation furnished for the purposes of international application (up the language of the translation furnished for the purposes of international application (up the language of the translation furnished for the purposes of international application (up the language of the translation furnished for the purposes	which is: ernational search (under Rule 23.1(b)). under Rule 48.3(b)).
3. With prelin	or 55.3).  regard to any nucleotide and/or amino acid sequence disclosminary examination was carried out on the basis of the sequence contained in the international application in written form.	ed in the international application, the international
님		
님	filed together with the international application in computer re	eadable form.
닏	furnished subsequently to this Authority in written form.	
	furnished subsequently to this Authority in computer readable	
	The statement that the subsequently furnished written sequence international application as filed has been furnished.  The statement that the information recorded in computer readabeen furnished.	
4. 🗌	The amendments have resulted in the cancellation of:	
	the description, pages	
		•
	the claims, Nos. the drawings, sheet/fig	
5	This report has been established as if (some of) the amendmen beyond the disclosure as filed, as indicated in the Supplementation	nts had not been made, since they have been considered to go al Box (Rule 70.2 (c)).**
in thi:	acement sheets which have been furnished to the receiving Offic is report as:"originally filed" and are annexed to this report sin 70.17).	ce in response to an invitation under Article 14 are referred to nce they do not contain amendments (Rules 70.16
** Any r	replacement sheet containing such amendments must be referre	d to under item I and annexed to this report.
C DCT	C/IDE A /400 / D D / I 1000)	<del></del>

THIS PAGE BLANK (USPTO)

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

IV. Lack of unity of invention
In response to the invitation to restrict or pay additional fees the applicant has:
restricted the claims.
paid additional fees.
paid additional fees under protest.
neither restricted nor paid additional fees.
2. This Authority found that the requirement of unity of invention is not complied with and chose, according to Rule 68.1, no to invite the applicant to restrict or pay additional fees.
3. This Authority considers that the requirement of unity of invention in accordance with rules 13.1, 13.2 and 13.3 is
complied with.
not complied with for the following reasons:
I. Claim 1, 3-4 and parts of 6-13 relates to a material for packaging a nicotine-containing product, which material comprises a polymer based on dimethyl-2,6-naphthalene dicarboxynate and/or 2,6-naphthalene dicarboxylic acid monomers.
II.Claim 2, 4 and parts of 6-13 relate to a material for packaging a nicotine-containing product, which material comprises a liquid crystal polymer, LCP.
The special technical feature of invention I is a polymer based on dimethyl-2,6-naphthalene dicarboxynate and/or 2,6-naphthalene dicarboxylic acid monomers.
The special technical feature of invention II is a polymer based on a liquid crystal polymer.
The special technical feature of invention II is not the same as or corresponding to the special technical feature of invention I.
<ul> <li>Consequently, the following parts of the international application were the subject of international preliminary examination in establishing this report:</li> <li>all parts.</li> <li>the parts relating to claims Nos.</li> </ul>

THIS PAGE BLANK (USPTO)

V.	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability;
	citations and explanations supporting such statement

#### 1. Statement

Novelty (N) Claims 1-13 YES
Claims NO

Inventive step (IS) Claims 1-13 YES
Claims NO

Industrial applicability (IA) Claims 1-13 YES
Claims NO

#### 2. Citations and explanations (Rule 70.7)

The claimed invention relates to materials for packaging nicotine-containing products.

The problem to be solved by the invention is to provide a material that exhibits favourable characteristics of oxygen, water and nicotine impermeability and that is favourable to process.

This is accomplished by materials comprising a polymer based on dimethyl-2,6-naphthalene dicarboxynate, 2,6-naphthalene dicarboxylic acid monomers and/or a liquid crystal polymer.

The relevant documents cited in the International Search Report were:


- D1 WO 9109731
- D2 EP 0656389
- D3 US 5326848

Document D1 discloses a material for producing a nicotine maintenance product. The nicotine barrier material contains 75% acrylonitrile and 25% methyl acrylate. The claimed invention differs from D1 in that the material disclosed in D1 does not comprise dimethyl-2,6-naphthalene dicarboxynate, 2,6-naphthalene dicarboxylic acid monomers or a liquid crystal polymer.

. . . / . . .

THIS PAGE BLANK (USPTO)





Supplemental Box

(To be used when the space in any of the preceding boxes is not sufficient)

#### Continuation of: V

In D2 an easy-open film comprising a resin composed mainly of polyethylene-2,6-naphtalene is disclosed. The difference between the claimed invention and D2 is that D2 does not mention the use of polyethylene-2,6-naphtalene in a material as a nicotine barrier or for packaging a nicotine-containing product.

Document D3 makes known a packaging material comprising a liquid crystal polymer. However, this document does not mention the use of this liquid crystal polymer in materials for packaging nicotine-containing products and consequently, the claimed invention differs from D3.

In view of the above, it is not considered obvious to a person skilled in the art to use dimethyl-2,6-naphthalene dicarboxynate, 2,6-naphthalene dicarboxylic acid monomers and/or a liquid crystal polymer for making a material used for packaging nicotine-containing products.

Accordingly, the claimed invention in claims 1-13 is considered to fulfil the requirements of novelty, technical applicability and inventive step.

THIS PAGE BLANK (USPTO)

# **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:
B32B 27/06, B65D 75/26, C08G 63/189, 63/60

(11) International Publication Number:

WO 00/44559

(43) International Publication Date:

3 August 2000 (03.08.00)

(21) International Application Number:

PCT/SE00/00017

A1

(22) International Filing Date:

12 January 2000 (12.01.00)

(30) Priority Data:

9900215-6

26 January 1999 (26.01.99)

SE

(71) Applicant (for all designated States except US): PHARMACIA & UPJOHN AB [SE/SE]; S-112 87 Stockholm (SE).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): LEVANDER, Gustav [SE/SE]; Tullingebergsvägen 32, S-146 45 Tullinge (SE). KARLSSON, Anders, H., F. [SE/SE]; Per Wickenbergsgatan 1, S-217 54 Malmö (SE). HILDINGSSON, Ingemar [SE/SE]; Smedjegatan 2 C, S-222 37 Lund (SE).
- (74) Agent: HEDENSTRÖM, John; Pharmacia & Upjohn AB, Box 941, S-251 09 Helsingborg (SE).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published

With international search report.

(54) Title: NEW USE

4.

#### (57) Abstract

A material for packaging a nicotine containing product comprising a polymer based on dimethyl-2,6-naphthalene dicarboxynate or 2,6-naphthalene dicarboxylic acid monomers, such as polyethylene naphtalate (PEN) or polytrimethylene naphtalate (PTN), or a liquid crystal polymer (LCP). The material may be laminated to another polymer or to metal foil.

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
cz	Czech Republic	LC	Saint Lucia	RU	Russian Federation •		
DE	Germany	LI	Liechtenstein	SD	Sudan		•
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		
	•						

WO 00/44559

10

15

20

25

30

### **NEW USE**

# Technical field

The present invention relates to materials for packaging nicotine-containing prod-5 ucts

## Background art

For many years tobacco smoking has been one of the major health problems throughout the world. Smoking is now recognized as the main cause for e.g. high blood pressure and lung cancer. However, because of the addictive nature of nicotine it is utterly difficult for heavy smokers to completely stop smoking. An acceptable alternative to smoking has been to provide nicotine in a form or manner other than by smoking, e.g. as a chewing gum containing nicotine as an active ingredient, see e.g. US 3,845,217. Other products used as substitutes for smoking are tablets containing nicotine, see e.g. US 5,543,424, devices for allowing nicotine to be inhaled through an elongated tube, see e.g. US 5,501,236, nicotine containing nasal sprays, see e.g. US 5,656,255, patches for administering nicotine transdermally, see e.g. US 4,915,950, etc.

The primary requirement when packaging drugs and food is the demand that the package must protect the product against penetration of moisture and oxygen from the environment. Very seldom the product itself constitutes any problems. Nicotine, on the other hand, is very aggressive towards its environment and migrates through most known materials. It is also very hygroscopic and therefore sensitive to moisture and when exposed to oxygen or air the nicotine turns brown. Because of the toxicity of nicotine and because the expected shelf-life for nicotine containing products is as long as up to two years, commonly used materials within the package industry, e.g. polypropylene, polyethylene and polyvinyl chloride therefore cannot be used for nicotine containing products.

A known polymer which fulfills the requirements of oxygen, water and nicotine impermeability is commercially available under the trademark Barex®, being a copolymer made of acrylonitrile and methylmetacrylate and grafted to nitrile rubber on the main chain. Due to the copolymerization with methylmethacrylate the polymer becomes softer and is possible to process. Barex® is available with different amounts of nitrile rubber, is amorphous and is a glass polymer at room temperature.

The temperature range within which Barex® may be processed is, however, very narrow rendering the polymer difficult to process resulting in a large amount of discarded material. This is partly due to Barex® having a temperature dependent elasticity. Today, Barex® is also associated with a high price.

The use of Barex® in a nicotine impermeable container is disclosed in US 5,501,236.

### Summary of the invention

5

10

15

20

25

30

It is therefore an object of the present invention to provide an alternative material to Barex<sup>®</sup>, which exhibits favorable characteristics of oxygen, water and nicotine impermeability, but which does not suffer from the above-mentioned drawbacks. According to the invention it is therefore suggested an alternative nicotine impermeable packaging material for a nicotine-containing product having the characterizing features of the claims.

The material of the invention comprises polyethylene naphtalate, polytrimethylene naphtalate and/or a liquid crystal polymer, LCP, and has excellent characteristics of oxygen, water and nicotine impermeability. Due to the temperature ranges the polymers of the invention are favorable to process and will have an acceptable price. The material of the invention is known *per se*, but its excellent nicotine barrier properties have not been known. Neither has its use for making packages for nicotine-containing products been contemplated.

#### Detailed description of the invention

The packaging material of the invention is intended for use in connection with nicotine containing products for therapeutic treatment of patients having an addiction to nicotine. Examples of such products are chewing gums, sublingual tablets, nasal sprays, nicotine patches and nicotine inhaling devices, all marketed through Pharmacia & Upjohn. These products are all classified as drugs and thus, the requirements of product stability are high. The expected shelf life is two years without any noticeable change regarding composition, concentration and dosage. Specific ranges for allowed variations have been established in accordance with requirements from the authorities, e.g. Food and Drug Administration, FDA, in the USA.

In chewing gums the nicotine is usually present in the form of a complex with an insoluble cation-exchanger, which is disbursed in a gum base, in order to be stabilized. In

WO 00/44559 PCT/SE00/00017

tablets the nicotine is usually present in the form of an inclusion complex. Only small amounts, if any, of nicotine are in contact with the package for chewing gums and tablets and thus, the demand for a nicotine barrier becomes lower for these products. The pH for a chewing gum is usually slightly above 4.

In nasal spray the nicotine is present in a liquid solution having a concentration of approximately 10 mg/ml and a pH of approximately 7. The nasal spray is distributed in glass flasks inert to the aggressiveness of nicotine. However, the nicotine solution also comes into contact with seals and pumping devices made of polymeric material.

5

10

15

20

25

30

In a patch and in an inhaling device primarily nicotine vapor comes into contact with the package. Here the concentration depends on the vapor pressure of the nicotine that varies with temperature. In room temperature the concentration in a patch is approximately 250 mg/ml. In a patch and in an inhaling device the pH is approximately 9 - 10.

A number of factors are important when materials for nicotine-containing packages are chosen. The nicotine must not migrate through the packaging material and disappear from the system or be accumulated uncontrollably in the packaging material. Also, the nicotine must be protected from oxygen due to the fact that it is easily decomposed in contact with air or oxygen. Products containing nicotine also turns brown or yellow when only small amounts of decomposition products are present resulting in cosmetic drawbacks long before any stability limits have been passed. A good oxygen barrier is therefore of utmost importance.

Besides the above mentioned primary demands on good nicotine resistance and low oxygen permeability, other important factors to take into consideration regarding packaging materials for nicotine-containing products are water and moisture permeation, processability, price and environmental impact.

The water barrier is important especially in the nasal spray where loss of water has large impact on the concentration of the product. Water barrier characteristics are also important in other forms of distribution since water may have an impact on permeation characteristics of the polymer. Great consideration should also be taken to the processability since large-scale industrial production is considered where even small problems may involve large costs.

WO 00/44559 4 PCT/SE00/00017

With the aim to find a packaging material for the packaging of a nicotine-containing product, which fulfills the above mentioned demands two different types of polymers, were found.

The first of these materials is PEN, polyethylene naphtalate:

5

10

15

20

25

PEN is polyester based on dimethyl-2,6-naphthalene dicarboxynate or 2,6-naphthalene dicarboxylic acid monomers. Dimethyl-2,6-naphthalene dicarboxynate and -2,6-naphthalene dicarboxylic acid monomers are e.g. sold by Amoco under the trade name NDC and NDA-monomer respectively. PEN is semicrystalline and is a glass polymer at room temperature.

There are other polymers, such as PTN (polytrimethylene naphthalate) which are based on the same monomers. PTN differs from PEN only in that the ethylene chain has been exchanged to a propylene chain. It is also envisageable to use polymers comprising both dimethyl-2,6-naphthalene dicarboxynate or 2,6-naphthalene dicarboxylic acid monomers.

PEN differs from PET (polyethylene tereftalate), which is another, more commonly used polyester, in that the benzene ring in the PET molecule has been exchanged for naphtene in PEN. This makes the PEN structure more rigid than the PET structure and the features of PEN more favorable for this invention than the features of PET.

The second nicotine impermeable polymer of the invention is polyester based Liquid Crystal Polymer, LCP. One example thereof is Vectra A 530 having the following structure:

WO 00/44559 5 PCT/SE00/00017

LCPs constitute a group of materials, which have a characteristic molecular structure. LCP polymers consist of rigid rod-like macromolecules that align in the melt to produce a liquid-like structure. This specific structure brings considerable improvement in mechanical properties compared with conventional polymers and a number of other exceptional properties. The monomers are hydroxy benzoic acid and hydroxy naphtenic acid. A typical LCP polymer, such as the above-mentioned Vectra® A 530, is filled with 30 % of mineral filler. The LCP material has a dense structure as a consequence of high crystallinity, is chemically resistant and has extremely low diffusion rates for oxygen and water.

According to the invention it was surprisingly found that in addition to the above mentioned barrier properties against water and oxygen PEN, PTN and LCP also exhibit excellent barrier properties against nicotine. In below Table 1 is shown a comparison of the properties of Barex® 210, PEN 14991 and Vectra® A 530. For comparison is added a polymer, Isoplast 2530 (a polyurethane having better barrier characteristics than other polyurethanes due to its high glass transition temperature), which does not have good nicotine impermeability.

Barex® is marketed by British Petroleum, PEN by Shell and by Eastman, Vectra® by Ticona and Isoplast by Dow.

Table 1

10

15

20

Material Properties						
Material	terial Barex 210 PEN 14991 Vectra A 530 Isopla					
Opacity	Transparent	Transparent	Opaque	Transparent		
Morphology						
Crystallinity	Amorphous	Semi	High	Amorphous		
		crystalline	Crystalline	-		
Permeability						
Oxygen	0,3	1,5	0,02	2,4		
cm³·mm/m²·day·atm						
Water,	2.0	0,7	0,05	1,2		
g·mm/m²·day				.*		

Material Properties							
Material	Barex 210 PEN 14991		Vectra A 530	Isopiast 2530			
Nicotine	Excellent	Excellent	Excellent	Not acceptable			
Resistance		Equivalent to Barex	Equivalent to Barex	Inferior to Barex			
Processing							
Extrusion	+	+	+	+			
Injection Molding	+	+ .	+ .	+			
Vacuum	+	. +	-				
Forming							
Blow Molding	+	+		+			
Applications							
Film	+	+	+	+			
Laminate	+	+	+	+			
Injection Mould details	+	• +	+	+			
Blow Mould details	+	+		+			
Blisters	+	+	-	10,			

The nicotine resistance of the captioned polymer materials was investigated with sorption tests as follows. Pieces of the respective materials were placed in glass bottles containing nicotine solution and were stored therein at room temperature for 1, 2 and 4 weeks. Subsequently the amounts of nicotine sorbed into the respective polymer materials were extracted from the polymers and analyzed by UV, HPLC and GC. The values for Barex 210 were used as reference levels.

As explained above PTN, marketed through Shell, is chemically very similar to PEN. In polymer chemistry it is a commonly accepted principle that close chemical similarity implies similar physical/chemical properties. Hence the above good results for PEN implies that also PTN has good nicotine barrier properties.

10

15

The nicotine impermeable polymers PEN and PTN of the invention can be used alone in film applications or may be combined with other barrier materials in a laminate to further improve the barrier characteristics of the packaging material. Suitable materials for laminating are metal, especially aluminium, foils and other polymers, e.g. polyacrylonitrile (PAN), polyamide (PA), polyvinylidene chloride (PVDC), and fluoropolymers, all of which are good oxygen and water barriers. Other polymer materials also suitable are

WO 00/44559 7 PCT/SE00/00017

ethylene vinyl alcohol copolymer (EVOH) and polyvinyl alcohol (PVA), which are excellent oxygen barriers, and ionomers (i e ionically crosslinked thermoplastic polymers, whereof Surlyn<sup>®</sup> from DuPont is an example), polyethylene (PE), and polypropylene (PP), which have good water barrier properties.

LCP is most suitable for use in injection molded applications. PEN, PTN and LCP may be alloyed with other polymers, such as PET. Such an alloy can then be processed as PET, but due to the incorporation of PEN, PTN or an LCP the alloy is conferred superior barrier properties compared to pure PET.

The invention will now be further described and illustrated by reference to the following example. It should be noted that this example should not be construed as limiting the invention in any way.

## Example 1

5

10

15

20

25

30

An endless sheet of aluminium foil, which optionally on one face is laminated with a thin polymer layer, of e.g. polyethylene or polyethylene terephtalate, is rolled off from a storage roll and passes an applicator which on the other side of the aluminium foil or aluminium foil laminate applies a continuos layer of PEN, PTN or an LCP, by means of an extrusion coating device. The thickness of the aluminum foil is within the range of 5 – 50  $\mu$ m, preferably within the range of 8 – 20  $\mu$ m. The amount of applied polymer may vary, but the thickness thereof is preferably such that a well integrated and substantially intact layer is formed after drying. A suitable thickness range of PEN, PTN or an LCP is  $1-100~\mu$ m, preferably 8 – 50  $\mu$ m.

Subsequently patch pouches are manufactured by dividing the laminate into two sheets forming an upper and a lower part of the patch pouch. Subsequently and by means of a vacuum device a nicotine-containing patch is placed on one of the sheets whereupon the other sheet is placed on the patch. Finally the sheets are heat sealed together along their edges to form a pouch.

In Example 1 the nicotine impermeable materials are used to make a package which totally encloses a nicotine-containing product. The present materials are also useful for partially enclosing and/or for sealing a package for a nicotine-containing product. PEN, PTN and LCP, may also be used for all other applications where presently Barex is used. One such application is the sealing of polymer tubes, containing polymer plugs with nicotine, for the nicotine inhaling device presently marketed by Pharmacia & Up-

john and in essence being disclosed in US 5,501,236. Also said polymer tubes may be made of the materials according to the present invention. Such tubes may e.g. be made by injection molding. The materials may also be used in blisters for nicotine chewing gums or tablets and for sealing glass flasks containing nicotine nasal spray.

5

10

The materials are also suitable for packages wherein dosage forms such as tablets, lozenges or similar are cast directly into the package. Thereby the package is to the extent necessary formed as mould(s) into which is cast the substance to be formed into tablets, lozenges or similar, said material achieving its final shape and form upon solidification in the package. In each such package may e g be cast one or more tablets, lozenges etc. After casting the package may be folded or likewise to provide for a nicotine-impermeable package for the cast tablets, lozenges etc. If necessary the package material may be provided with some added material or thin sheet accounting for that the substance which is cast will not stick to the package material.

### **CLAIMS**

- 1. A material for packaging a nicotine-containing product, c h a r a c t e r i z e d in that it comprises a polymer based on dimethyl-2,6-naphthalene dicarboxynate and/or 2,6-naphthalene dicarboxylic acid monomers.
- 2. A material for packaging a nicotine-containing product, c h a r a c t e r i z e d in that the material comprises a liquid crystal polymer, LCP.
- 3. A material according to claim 1, c h a r a c t e r i z e d in that the polymer is polyethylene naphtalate, PEN.

5

15

30

٦,

- 4. A material according to claim 1, c h a r a c t e r i z e d in that the polymer is polytrimethylene naphtalate, PTN.
- 5. A material according to claim 2, c h a r a c t e r i z e d in that the LCP comprises hydroxy benzoic acid and hydroxy naphtenic acid.
- 6. A material according to any one of the preceding claims, c h a r a c t e r i z e d in that it further comprises other polymer(s), preferably one or more of polyacrylonitrile (PAN), polyamide (PA), polyvinylidene chloride (PVDC), fluoropolymers, ethylene vinyl alcohol copolymer (EVOH), polyvinyl alcohol (PVA), ionomers, polyethylene (PE), and polypropylene (PP) and polyethylene terephtalate (PET).
- 7. A material according to anyone of the preceding claims, characterized in that it is laminated with one or more metal and/or polymer foil(s).
  - 8. A material according to claim 7, characterized in that it is laminated with aluminum foil.

- 9. A material according to anyone of the preceding claims, c h a r a c t e r i z e d in that it is used for totally enclosing, partially enclosing and/or for sealing a package for a nicotine containing product.
- 10. A material according to anyone of the preceding claims, c h a r a c t e r i z e d in that it is used for a package that is provided with moulds or equivalent into which is cast a substance that upon solidifaction in the package receives its final form and shape.

5

15

- 11. A material according to claim 10, characterized in that it is used for a package in which are directly cast tablets or lozenges.
  - 12. A material according to anyone of the preceding claims, c h a r a c t e r i z e d in that it is used for packaging a patch for transdermally administering nicotine, a nicotine containing chewing gum, a nicotine containing tablet, a spray for nasal administration of nicotine, or a device for inhaling nicotine.
  - 13. Use of a material according to anyone of the preceding claims for the manufacturing of a package for keeping nicotine-containing products.

International application No. PCT/SE 00/00017

#### A. CLASSIFICATION OF SUBJECT MATTER

IPC7: B32B 27/06, B65D 75/26, C08G 63/189, C08G 63/60 According to International Patent Classification (IPC) or to both national classification and IPC

#### **B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

IPC7: B32B, C08G, B65D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

### SE, DK, FI, NO classes as above

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 9109731 A1 (ALZA CORPORATION), 11 July 1991 (11.07.91)	1-13
	<del></del> .	-
A	US 5225199 A1 (OSAFUMI HIDAKA ET AL), 6 July 1993 (06.07.93)	1,3-4,6-13
	<del></del>	. 1
A	EP 0656389 A1 (NKK CORPORATION), 7 June 1995 (07.06.95)	1,3-4,6-13
	<del></del> .	
A	US 5326848 A (TSUGUNORI KASHIMURA ET AL), 5 July 1994 (05.07.94)	2,5-13

	Further documents are listed in the continuation of Box	C.	X See patent family annex.
* *A*	Special categories of cited documents document defining the general state of the art which is not considered to be of particular relevance	т.	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E"	erlier document but published on or after the international filing date document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other	"X"	document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
-O-	special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means		document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such continuation being obvious to a person skilled in the art
Date			document member of the same patent family  f mailing of the international search report
2	May 2000		1 8 -05- 2000
Nan	ne and mailing address of the ISA: edish Patent Office	Author	rized officer
	5055, S-102 42 STOCKHOLM		na Danielsson/Els one No. + 46 8 782 25 00

## INTERNATIONAL SEARCH REPORT

International application No. PCT/SE00/00017

Box I Observati ns where certain claims were found unsearchable (Continuation of item 1 of first sheet)	
This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:	
1. Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:	
Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:	
Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).:	
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)	٦
This International Searching Authority found multiple inventions in this international application, as follows:	
see next page	
$oldsymbol{\iota}$	
1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.	
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.	
As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:	
4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:	
Remark on Protest The additional search fees were accompanied by the applicant's protest.	-
No protest accompanied the payment of additional search fees.	

#### INTERNATIONAL SEARCH REPORT

International application No. PCT/SE00/00017

- I. Claim 1, 3-4 and parts of 6-13 relates to a material for packaging a nicotine-containing product, which material comprises a polymer based on dimethyl-2,6-naphthalene dicarboxynate and/or 2,6-naphthalene dicarboxylic acid monomers.
- II. Claim 2, 4 and parts of 6-13 relates to a material for packaging a nicotine-containing product, which material comprises a liquid crystal polymer, LCP.

The special technical feature of invention I is a polymer based on dimethyl-2,6-naphthalene dicarboxynate and/or 2,6-naphthalene dicarboxylic acid monomers.

The special technical feature of invention II is a polymer based on a liquid crystal polymer.

The special technical feature of invention II is not the same as or corresponding to the special technical feature of invention I.



Information on patent family members 02/12/99

International application No. PCT/SE 00/00017

Patent document cited in search report			Publication date	Patent family member(s)		Publication date
WO	9109731	A1	11/07/91	AT 166029 T		15/05/98
••-				ΑU	639073 B	15/07/93
				UA	7167491 A	24/07/91
				CA	2032446 A	22/06/91
	*			DE	69032313 D,T	03/09/98
	•			EP	0506860 A,B	07/10/92
				SE	0506860 T3	
				ES	2114885 T	16/06/98
				FI	922811 A	17/06/92
				NO	300880 B	11/08/97
				NZ	236487 A	23/12/92
				PT	96221 A,B	30/09/91
			,	US	5077104 A	31/12/91
				US	5256956 A	<i>26/</i> 10/93
				US	5268209 A	07/12/93
US	5225199	A1	06/07/02		131384 T	15/12/95
	2222133	Νī	06/07/93	TA UA	637496 B	27/05/93
				AU	7658291 A	11/11/91
				CA	2062828 A,C	25/10/91
	••			DE	69115445 D,T	20/06/96
			(	DK	484543 T	22/01/96
				EP	0484543 A.B	13/05/92
	*			SE	0484543 T3	13/03/32
				ES	2081477 T	01/03/96
				JP	2505674 B	12/06/96
	*			KR	9505865 B	02/06/95
				WO	9116044 A	31/10/91
			*			
EP	0656389	A1	07/06/95	US	5858490 A	12/01/99
			•	WO	9429374 A	22/12/94
	E226040	~~~~	05 /07 /04		E106E77 A	27/07/93
US	5326848	A	05/07/94	JP	5186577 A 69129050 D,T	29/10/98
				DE EP	0466085 A,B	15/01/92
	. *			JP	5001139 A	08/01/93
				JP	5001139 A 5001140 A	08/01/93
				JP JP	5001140 A 5005028 A	14/01/93
				J۲	<b>3003028 A</b>	14/01/33